

DEADLINE®

WOODWORM KILLER

GB-2019-1171-1-0020 / NI-2019-1171-1-0020 / IE/BPA 70492-01-011

UFI: X9DW-80NJ-Q00R-2TDK

A COMPLETE, FAST DRYING, LOW ODOUR CURE FOR TIMBER AND FURNITURE ATTACKED BY WOOD BORING BEETLES.

TREATS UP TO 125m², KILLS WOODBORING BEETLES, PREVENTS RE-INFESTATION, LONG LASTING PROTECTION

Contains: Permethrin [52645-53-1], 1,2-Benzisothiazol-2(3H)-one [2634-33-5], Alcohols (C9-11), Ethoxylated [68439-46-3] Wood preservative (microemulsion ready-for-use) for preventative treatment against wood boring beetles and termites. Also for curative treatment against wood boring beetles. Authorisation is granted for Use class 1 in which the wood-based product is under cover and not exposed to weather and wetting. Use Biocides Safely and Sustainably. It is illegal to use this product for uses or in a manner other than that prescribed on the label. Poison Information : For information or to report a poisoning incident contact The National Poisons Information Centre, Beaumont Hospital, Dublin (01-8092166), retain label for reference.

Directions for use: Apply by Brush or low pressure spray. For a preventative use - Apply at a rate of 200 ml/m². (1L per 5m²). For curative use - Apply at a rate of 300 ml/m². (1L per 3.3m²) Product should only require applying once every 5 years, if necessary, to timbers. Curative injection applications of the diluted product should be applied at a rate of 150 kg/m³ followed by a superficial treatment of 300 ml/m². This sequence application method should not be normal practice for curative applications, but only applied when required.

Use Specific Instructions & Risk Mitigation Measures: FOR USE ONLY AS A WOOD PRESERVATIVE. FOR PROFESSIONAL USE. FOR INDOOR USE ONLY. Do not touch or walk through spilt material. When dealing with spillage to not eat, drink or smoke. Avoid breathing vapour or mist. Provide adequate ventilation. Unprotected persons and animals should be excluded from the area being treated and should remain excluded until surfaces are dry, which may vary depending on climatic conditions. During application of the ready to use user should take care to avoid splashes on to clothing and skin. Any product on skin should be washed off. Persons and animals should be excluded from the area being treated and should remain excluded until surfaces are dry, which may vary depending on climatic conditions. Treated surfaces should not be touched until dry. Always read the label or leaflet before use and follow all of the instructions. Do not use on wood which may come into contact with food, feeding stuffs and livestock animals. Do not contaminate foodstuff, eating utensils or food contact surfaces. Avoid prolonged contact of pets, particularly cats, to treated surfaces. All bats are protected under the wildlife and countryside act of 1981. before treating any structure used by bats consult Natural England, Scottish Natural Heritage or the Countryside Council for Wales. Inform the registration holder if treatment is ineffective. The COSHH (Control of Substances Hazardous to Health) Regulation 2002 (as amended) applies to the use of this product at work. Wear suitable protective chemical resistant gloves (rubber or nitrile) and eye/face protection during product handling phase. Wear suitable protective chemical resistant gloves (rubber or nitrile) when applying as a spray or injection treatment. A protective coverall (at least type 6, EN 13034) must be worn when spraying. Waste product or contaminated packaging should be disposed via a licensed waste disposal contractor. Empty container should be disposed of as normal industrial waste.

First Aid: If medical advice is needed, have product container or label at hand. If in eyes: rinse continuously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists : Get medical advice/attention. If on skin: wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Pyrethroids and Pyrethrins may cause paraesthesia (burning and prickling of the skin without irritation). If symptoms persist get medical advice. UK medical professionals should contact the National Poisons Information Service (www.npis.org) for further advice.

Storage: Store in a cool, well-ventilated area. Keep container tightly closed. The floor of the storage room must be impermeable to prevent the escape of liquid. Must only be kept in original packaging. A shelf life of 24 months is supported. Protect from frost.

Disposal: Empty container should be disposed of as normal household waste. Do not discharge the biocidal product into the sewage system or environment. Any waste should be disposed of safely in line with national waste management.

BPR Approval Holder: Enviroquest Research Ltd (GB), Unit E8, Ashlyn Road, West Meadows Industrial Estate, Derby, DE21 6XE & WoodchemEQ Ltd (NI & IE), Unit 3D North Point House, North Point Business Park, New Mallow Road Cork, Co. Cork, Cork, Ireland.

Precautions: Causes serious eye irritation. Very toxic to aquatic life with long lasting effects Contains Permethrin & 1,2-Benzisothiazol-2(3H)-one. May produce an allergic reaction. If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Wash hands thoroughly after handling. Avoid release into the environment. Wear protective gloves, protective clothing and protective eye/face protection. IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists : Get medical advice/attention. Collect spillage. Dispose of contents as hazardous waste in accordance with local/regional/national/international regulations.



WARNING

Contains: Permethrin 0.25% w/w (2.5g/L)

CLP22-036

25 litres

Batch No:
Expiry Date:

Marketing Company:
Rentokil Initial Supplies
Liverpool L33 7SR
Enquiries: 0151 548 5050
products@rentokil.com
www.rentokilproducts.com
Emergency Line: 01342 833 022